FLORA

OF-

Southern and Lower California.





A CHECK-LIST

OF THE-

FLOWERING PLANTS AND FERNS.

-BY-

CHARLES RUSSELL ORCUTT.



SAN DIEGO, California, U. S. A.

ARMOI



SCHNEIDER'S

BOOK STORE,

Stationery & News Depot.

(Established in 1869.)

MUSIC,



-AND-

TOYS,

Rogers Bros.' Plated Ware,

BEST POCKET KNIVES.

WALL PAPER, Glass and Paints.

HAMILTON & CO., SAN DIEGO.

dealers in all kinds of

SUPPLIES

-FOR-

FARMERS & FAMILIES

Orders solicited for

SAN DIEGO HONEY.

Visitors to San Diego, Cal., can find

California Curiosities,

SEA SHELLS, MOSS, and INDIAN RELICS, at the Book and Stationery Store of

JNO. C. DALY, New Masonio Building, H Street bet. 5th & 6th. GEO. W. MARSTON,

DRY GOODS

CARPETS,

MEN'S FURNISHINGS.

AGENT FOR

The "Mhite" Machine

-AND-

Butterick's Latterns.

N. E. corner Fifth and F Streets, SAN DIEGO, CAL.

MORSE, NOELL & WHALEY,

REAL ESTATE DEALERS.

⇒LETTERS OF INQUIRY ANSWERED. €

SAN DIEGO, CAL.

REFERENCES:

Wells, Fargo & Co., and Consolidated Nat'l Bank of San Diego.

Forest & Ornamental Trees.

The undersigned will furnish at lowest market prices:

Eucalyptus globulus, (Blue Gum.)

Acacia decurrens, (Black Wattle—a new forest tree of rapid growth; bark thick and very rich in tannin.)

Cupressus macrocarpa, (Monterey Cypress.) Washingtonia filifera, (Cal. Fan Palm.)

Lower California Date Palm.

Date Palm of commerce.

Cuttings of the California Grape, (Vitis Californica,) for budding.

J. H. ORCUTT,

San Diego, California Digitized by COQLO 13d.and.1912 26200

FLORA

--or--

Southern and Lower California.



PREFACE.

This list includes all the Phænogamous plants and higher Cryptogams known in San Diego county and the adjacent borders of Lower California, and mainly collected by H. C. Orcutt and myself during the last few years. Plants limited in distribution to the northern part of the county are indicated by N; to the southern portion, by S; to Lower California, by L; to N and S, by D; those common to D and L, by G; and to Saline plants, s; mesas and coast region, c; mountains (above 4,000 feet), m; intermediate hills and valleys, h; desert, d. Introduced or naturalized species are given in italics. Plants blooming during early rains are shown by 1; later rains, 2; summer, 3; fall, 4; throughout the year 5. Species not collected by us are indicated by the *. Color of some is indicated by w for white; r, red; y, yellow; g, green; b, blue or purple. This list has been prepared by reason of many requests of those who appreciate the value of a check-list, and the necessarily incomplete notes will in many cases prove of value, I trust, to the student of our rich and beautiful flora. CHARLES RUSSELL ORCUTT.

FLORA OF SOUTHERN AND LOWER CALIFORNIA.

·	***	MIA.
Ranunculaceæ.		
Clematis pauciflora Nutt	lasiocarpum, Nutt., var. ter	uines
ngusticifolia Nutt		Ľ m
I nalictrum polycarnum Watson		Gc
myosurus minimus. L		G h
ansiatus, Benth Da	Dusillus Hook	Dь
Teanunculus Cymhalaria Purch at	Discutella *Californico D & IT	Ģh
aquatilis, L., v. trichophyllus, Ch. G2 cæspitosus, DC.	Raphanus satious, L.	Dd
Californicus, Benth. Buttercup. G m		G
hebecarpus, Hook. & Arn., var.	Capparidaceæ.	
	Cleome integrifolia, Nutt. Isomeris arborea, Nutt.	S h
Aquilegia truncata F & M		G
Delphinium simplex Dougl	Resedaceæ.	
decorum, F. & M. Blue larkspur G.	Oligomeris subulata, Boiss.	СС
Paronia Brownii D	Cistaceæ.	u c
"Urossogomo Rigolom!! ttr	Helianthemum aconstitut N	
	Helianthemum scoparium, Nutt.	\mathbf{G}
Berberidaceæ. Barberry.	Violaceæ.	
Berberis Fremonti, Torr. L m 3	Viola aurea, Kellogg?	Gm
*pinnata, Lag. Sh	cnrysantha, Hook	Ğm
Papaveraceæ. Poppy.	pedunculata, T. & G.	Gch
Platystemon Californicus Renth	Polygalaceæ.	
AVUILLEVA COULTER HOPE	Polygala Californica Nuta	T .
Argemone hispida Grav Thistle name of	Manieria "parvitolia, Benth	L c G d
	canescens, Gray.	Gd
Denuioniecon rigidum Rek mass	Frankeniaceæ.	o u
- Calling Linum	Frankenia Palmeri, Watson.	~
peninsularis, Greene, new. L minutiflora, Watson. Gd	grandifolia, C. & S.	S s 2
~ u		G 5
Fumariaceæ.	Caryophyllaceæ.	
Dicentra chrysantha, H. & A. Gh	Silene Gallica, L. Catch-fly.	G
Cruciferæ.	Californica, Dur.	G c
Alvssum maritimum I. S	laciniata, Cav	, h
Diaba cunellona. Nutt	"Faimeri, Watson	Gh
Caruainine nancisonta Deb Tir	piatvota, Watson	D m G m
	Cerastium nutans, Raf.	Gm
JUNETIONITIS Watson	viscosum, L. Stellaria media, L.	Gh
Streptanthus heterophyllus, Nutt. F c Caulanthus glandulosus, Hook., var.(?)	Arenaria alsinoides, Willd.	G c
	Douglasii, T. & G.	L m
I Hely Dodling Wright!! Care	"macradenia, Watson	_D G
	Hacrophylla Hook	D m S m
	Saponaria Vaccaria I.	Sc
Diassica mura. Noch Rivels must- 1 0	Lepigonum macrothecum, F. & M.	$\widetilde{\mathbf{G}}$ $\widetilde{\mathbf{s}}$
campentria I. Turnin (1)	medium, Fries. gracile, Watson.	Gs
Sisjinorium canescens Note	Polycarpon depressum, Nutt.	S c
meisum, Engelm	Lœflingia squarrosa, Nutt.	Gc
var. filipes. Grav		Gh
renexum, Nutt.	Illecebraceæ.	
Cheritae Scon	Pentacæna ramosissima, H. & A. Achyronychia *Cooperi, T. & G.	\mathbf{G}
Nasturtium officinale, R. Br. Nh	Dental Coopers, 1. & G.	D d
Curvisiliqua, Nutt., v. lyratum, W. G Vesicaria Fendleri, Gray, var. L m	Portulacaceæ.	
~ "Culting addition 1.	Portulaca oleracea, L. Purslane.	
1 Topidocarpum gracile Hook	Calandrinia Menziesii, Hook. maritima, Nutt.	G c
4910Carda Palmeri Water	Claytonidi. Columbia Derfoliata, Don.	F c
Capsella divaricata Weln	Calyptridium monandrum, Nutt.	Gh
Durati-Diatorie Monah	По	G
Lepidium latipes, Hook. Pepper-grasses: dictyotum, Gray.	Tamariscinese. Candlewood.	
nitidum Nutt	Fouquiera splendens, Engelm.	F d
Menziesii DC	Elatingoom	•
G c	Elatine brachysperma, Gray.	8.0
		S c
	(La

Hypericaceæ.		Anacardiaceæ. Sumacs.	
Hypericum Scouleri, Hook.	G m	Rhus ovata, Watson, new.	G m
*anagalloides, C. & S.	Nm	integrifolia, Nutt. laurina, Nutt.	G c G c
Malvacese.		diversiloba, T. & G. Poison oak	
Malva borealis, Wallm.	G	aromatica. Ait., v. trilobata. Gr.	Dщ
Sidalcea humilis, Gray. malvæflora, Gray.	G 5 G	var. indivisa, Watson.	Lm
Malvastrum exile, Gray.	8 c	Leguminosæ. Lupine Family	•_
Thurberi, Gray.	G h D d	Thermopsis Californica, Watson.	D m D d
*densiflorum, Watson. *rotundifolium, Gray.	Dd	Hoffmanseggia *stricta, Benth. *microphylla, Torr.	Dd
foliosum, Watson, new.	\mathbf{L}	Lupinus densiflorus, Benth.	G
Sphæralcea Emoryi, Torr.	G G	Chamissonis, Esch. affinis, Agardh.	S m G h
Sida hederacea, Torr. Abutilon crispum, Don.	Ld	micranthus, Dougl.	G
Newberryi, Watson. Streetsii, Watson.	Ld	sparsiflorus, Benth.	G
Streetsii, Watson.	L h L h	truncatus, Nutt. hirsutissimus, Benth.	G c
aurantiacum, Watson. Hibiscus denudatus, Benth.	Fd	gracilis, Agardh.	Gh
Sterculiaceæ.		Orcuttii, Watson.	L m
Ayenia *pusilla, L.	Dh	*Arizonicus, Watson. brevicaulis, Watson.	D d D d
Fremontia Californica, Torr.	Gh	albicaulis, Dougl.	G?
Linaceæ. Flax.		littoralis, Dougl.	G?
Linum perenne, L.	Gm	Douglasii, Agardh. Trifolium Macræi, H. & A. Clovers:	G? Gh
Zygophyllaceæ.		ciliatum, Nutt.	Ğ'n
Fagonia Californica, Benth.	Gh	monanthum, Gray.	G
Larrea Mexicana, Moric.	Nd	microcephalum, Pursh. fucatum, Lindl.	
Geraniaceæ.		gracilentum, T. & G.	
Geranium Carolinianum, L.	G h	involucratum, Willd.	
cæspitosum, James.	Lm	tridentatum, Lindl. var. obtusiflorum, Watson.	
Erodium Texanum, Gray. cicutarium, L'Her. Alfilaria.	Sc	Melilotus alba, Lam. Sweet clover.	Gm
moschatum, L'Her. "		parviflora, Desf. Medicago sativa, L. Alfalfa.	Gh
macrophyllum, H. & A.	Gh Nm	denticulata, Willd. Burr clover.	
Limnanthes *Douglasii, R. Br. Oxalis corniculata, L.	Ge	lupulina, L.	G
Wrightii, Gray.	Lh	Psoralea Californica, Watson. orbicularis, Lindl.	G m L m
Rutaceæ. Spice shrubs.		macrostachya, DC.	Gh
Ptelea aptera, Parry.	Lh	Amorpha Californica, Nutt.	G
Thamnosma montanum, Torr.	G d G h	Glycyrrhiza lepidota, Pursh. Hosackia rigida, Benth.	L m
Cneoridium dumosum, Hook. f.	GII	rigida, var. argyrea, Watson.	Lm
Celastraceæ.	NT	oblongifolia, Benth.	G Sh
Euonymus occidentalis, Nutt.	Nm	maritima, Nutt. strigosa, Nutt.	Sh
Rhamnaceæ.		Purshiana, Benth.	G
Zizyphus Parryi, Torr.	Dd	glabra, Torr.	Gh
lycioides, var. canescens, Gray. Rhamnus crocea, Nutt.	G d G	prostrata, Nutt. micrantha, Nutt.	Gс
Californica, Esch. Wild coffee		argophylla, Gray.	Gm
* var. tomentella, B. & W.	Dm	Heermanni, D. & H. *crassifolia, Benth.	G h D h
Condalia *spathulata, Gray. Adolphia Californica. Watson.	Dd Gc	*grandiflora, Benth.	Nm
Adolphia Californica, Watson. Ceanothus cuneatus, Nutt.	Gе	*brachycarpa, Benth.	D d
sorediatus, H. & A. Wild lilac integerrimus, H. & A. Soap-b	c. Gh	*decumbens, Benth. Dalea *mollis, Benth.	D d
divaricatus, Nutt.	G m	*Emoryi, Gray.	D d
*rigidus, Nutt.	Dh	Californica, Watson.	Nd
Vitaceæ. Grape.		*Schottii, Torr. *spinosa, Gray.	N d
Vitis Californica, Benth.	Gh	*spinosa, Gray. Orcuttii, Watson, new.	L m
Sapindaceæ.		*Parryi, T. & G.	D d G
Æsculus Parryi, Gray. Buckeye.	Lс	Astragalus oocarpus, Gray. didymocarpus, H. & A.	G
Acer macrophyllum, Pursh.	N m	dispermus, Gray.	G

· ·	5
*Vaseyi, Watson. G d	Ludwigia palustris, Ell. S c
leucopsis, T. & G. Rattle-weed. G	Clarkia elegans, Lindl. N h
*Coulteri, Benth. D d	rhomboidea, Dougl. L m
Sonoræ, Grav. L m	Gayophytum ramosissimum, T. & G. G
stenophyllus, T. & G. L m	Eulobus Californicus, Nutt. G c
stenophyllus, T. & G. L m. Orcuttianus, Watson ined. L d	Enothera Californica, Watson. G
*tricarinatus, Gray. D d	*trichocalyx, Nutt. D d
Crotalariæ, Gray. D h	strigulosa, T. & G. G m
*Parishii, Gray. N m	cheiranthifolia, Horn. G s
*Preusii, Gray. D d	gauræflora, T. & G. N d
Olneya Tesota, Gray. Iron-wood. G d	*brevipes, Gray. D d
Vicia exigua, Nutt. Vetch. G c	*cardiophylla, Torr. D d
Cassia Covesii, Gray. G d	refracta, Watson. D d
Lathyrus venosus, Muhl. G c	bistorta, Nutt., var. (?) Veitchi-
splendens, Kellogg. Wild pea. F h	ana, Hook. G h
Parkinsonia *Torreyana, Watson. D d	biennis, L. G h
Prosopis juliflora, DC. Mesquit. G	Godetia epilobioides, Watson. w G h
pubescens, Benth. Screw bean. G	tenella, Watson. r G h
Acacia Greggii, Gray. G	Boisduvalia densiflora, Watson. G
Doggoom	Tangaam
Rosaceæ.	Loasaceæ.
Prunus *Fremonti, Watson. G d	Petulonyx *Thurberi, Gray. D d
demissa, Walp. Choke cherry. D m	Mentzelia albicaulis, Dougl. G m
ilicifolia, Walp. Oak-leaf cherry. G	gracilenta, T. & G. Gh
*fasciculata, Gray. D d	gracilenta, T. & G. Gh *lævicaulis, T. & G. Dd
Rubus Nutkanus, Moc. D m	*tricuspis, Gray. Da
ursinus, C. & S. Dewberry. G	micrantha, T. & G. Lh
Chamæbatia foliolosa, Benth. G h	Cucurbitaceæ.
Purshia tridentata, DC. Dd	
Cercocarpus parvifolius, Nutt. G h	Megarrhiza Californ'a, Torr. Chilocothe G
Fragaria Californica, C. & S. Strawby. Dm	Cucurbita perennis, Gray. G
Potentilla rivalis, Nutt., var. mille-	palmata, Watson. Mock orange. G
grana, Watson. G m	*Californica, Torr. D d
Horkelia Californica, C. & S. D m	Datiscaceæ.
Cal., var. paucifoliata, Watson. Lh	Datisca glomerata, B. & H. G h
*Bolanderi, Gray, v. Parryi, Wats. Dm	,
Ivesia Baileyi, Watson. L m	Cactaceæ. Cacti.
Adenostoma sparsifolium, Torr. G m	Mamillaria Goodridgii, Scheer. G c
fasciculatum, H. & A. Grease-wood. G	*phellosperma, Engelm. D d
Rosa Californica, C. & S. Wild rose. G 5	Echinocactus viridescens, Nutt. G c
minutifolia, Eng. Parry's rose. Lc	Orcuttii, Engelm. ined. L h
Heteromeles arbutifolia, Rœm. G	cylindraceus, Engelm. d
Alchemilla arvensis, Scop. Sh	Wislizeni, Engelm. N d
Saxifragaceæ.	Cereus phœniceus, var. Pacificus,
Saxifraga Parryi, Torr. Wild cocoanut.	Engelm. ined. L c
reflexa, Hook. Dh	maritimus, Jones. L c
Tellima Cymbalaria, Walp. D h	guminosus, Engelm. ined. Pitalla. L c
Heuchera rubescens, Torr. G m	Engelmanni, Parry. G m
Ribes speciosum, Pursh. S c	Emoryi, Engelm. G c
Menziesii, Pursh. Sh	Opuntia occidentalis, E. Prickly pear. G
viscosissimum, Pursh. N m	prolifera, Engelm. Chollas. G h
sanguineum, Pursh. G	serpentina, Engelm. G h
viburnifolium, Gray. L c	Bigelovii, Engelm. G d
	Fisoidom
Crassulaceæ.	Ficoideæ.
Sedum variegatum, Watson. F h	Sesuvium Portulacastrum, L. G.
Tillæa minima, Miers. G	Mesembrianthemum nodiflorum, L.
angustifolia, Nutt. S c	æquilaterale, Haw. Beach berry. s
Cotyledon edulis, Brewer. G	crystallinum, L. Ice plant. G s
pulverulenta, B. & H. G	Umbelliferæ.
lanceolata, B. & H. Gh	
<u>.</u>	Hydrocotyle prolifera, Kellogg. Gh
Lythraceæ.	ranunculoides, L. f. Sh
Ammannia latifolia, L. S c	Bowlesia lobata, R. & P. Gh
Lythrum Hyssopifolia, L. Sc	Eryngium petiolatum, Hook. Sc
alatum, Ph, var. linearifolium, Gr. G	Deweya arguta, T. & G. Gm
Onagraceæ.	Carum Gairdneri, B. & H. N m
	Enanthe Californica, Watson. Gh
Epilobium angustifolium, L. N m	Daucus pusillus, Michx. G h Sanicula Menziesii, H. & A. S h
coloratum, Muhl. G	
Zauschneria Californica, Presl. G	bipinnatifida, Dougl. G h

laciniata, H. & A.	GЪ	*Philadelphicus, L.	N b
Apium graveolens, L.	Š	Baccharis Douglasii, DC.	Gh
Apiastrum angustifolium, Nutt.	Gñ	glutinosa, Pers.	G
Selinum *capitellatum, B. & H.	D m	Emoryi, Gray.	G h
Angelica tomentosa, Watson.	Gm	sarothroides, Gray.	Gh
Caucalis microcarpa, H. & A.	G	Pluchea camphorata, DC.	· N b
Peucedanum dasycarpum, T. & G.	G	Pluchea camphorata, DC. borealis, Gray. Mock willow.	G
Euryptera, Gray.	Dс	Micropus Californicus, F. & M.	G h
Cornaceæ.		Psilocarphus Oreganus, Nutt.	80
	N m	tenellus, Nutt.	80
Cornus Californica, C. A. Meyer.	N m	Stylocline gnaphalioides, Nutt.	80
Garrya flavescens, var. Palmeri, Wa	it. r m	Evax caulescens, Gray.	D c L m
Caprifoliaceæ.		Filago Arizonica, Gray. Gnaphalium Sprengelii, H. & A.	G
Sambucus glauca, Nutt. Elder.		palustre, Nutt.	Ğ
Symphoricarpus mollis, Nutt.	8 m	purpureum, L.	Ğ
racemosus, Michx. Snowdrop	. 8 m	Iva Hayesiana, Gray.	Ğ
Lonicera hispidula, Dougl., var. su		Hymenoclea *Salsola, T. & G.	S d
spicata, Gray.	G	monogyra, T. & G.	Gh
Rubiaceæ.		Ambrosia pumila, Gray.	G
Kelloggia *galioides, Torr.	D m	psilostachya, DC. Ragweed.	G
Galium Andrewsii, Gray.	Gm	Franseria *dumosa, Gray.	S d
Rothrockii, Gray.	Ľ m	Hookeriana, Nutt.	_ ⊂ G
angustifolium, Nutt.	G m	bipinnatifida, Nutt.	G s
stellatum, Kellogg.	L m	deltoidea, Torr.	Gc
pubens, Gray.	Gh	flexuosa, Gray, new. Xanthium strumarium, L. Cockle	L d
Aparine, L., var. Vaillantii, Ko	ch. Gc	Wyethia coriacea, Gray.	G m
Valerianaceæ.		Encelia Californica, Nutt.	GG
Valerianella macrocera, Gray.	Gh	farinosa, Gray.	Ň'n
<u> </u>	O II	viscida, Gray.	Gm
Compositæ.		*eriocephala, Gray.	Dd
Hofmeisteria *pluriseta, Gray.	D d	Helianthus dealbatus, Gray.	Lс
Brickellia Californica, Gray.	G	gracilentus, Gray.	Fh
frutescens, Gray.	Ģd	Californicus, DC.	F
atractyloides, Gray.	Ld	petiolaris, Nutt.	- G
Carphephorus junceus, Benth.	G	Viguiera laciniata, Gray.	G
Gutierrezia Californica, T. & G.	Gm Gh	Parishii, Greene.	Lm
Euthamiæ, T. & G. Grindelia robusta, Nutt.	Gh	Leptosyne Douglasii, DC.	G &
Pentachæta aurea, Nutt.	Ğ	maritima, Gray. *Bigelovii, Gray.	Ďã
Eremiastrum *bellioides, Gray.	Dď	Bidens chrysanthemoides, Michx.	G? m
Lessingia glandulosa, Gray.	Sh	pilosa, L.	L
Monoptilon *bellidiforme, T. & G.	D d	Madia elegans, Don.	G h
Heterotheca grandiflora, Nutt.	G	filipes, Gray.	Gh
Chrysopsis villosa, Nutt., var. sess	ili-	*glomerata, Hook.	D h
flora, Gray.	G	Hemizonia *paniculata, Gray.	Dр
Aplopappus squarrosus, H. & A.	G h	fasciculata, T. & G.	G h
linearifolius, DC.	Gm	tenella, Gray.	Gh
Palmeri, Gray.	Gh Lc	Wrightii, Gray.	I. G
Berberidis, Gray.	L	floribunda, Gray. Layia glandulosa, H. & A.	Gm
Orcuttii, Gray, <i>new.</i> Bigelovia Menziesii, Gray.	Ğ	elegans, T. & G.	Gr
spathulata, Gray.	Gm	*platyglossa, Gray.	Ňh
brachylepis, Gray.	Ľ m	Jaumea carnosa, Gray.	G s
graveolens, Gray.	Gm	Baeria *Clevelandi, Gray.	Sc?
teretifolia, Gray.	D d	gracilis, Gray.	G
*paniculata, Gray.	D d	var. tenerrimus, Gray.	S h
Solidago Californica, Nutt.	Gh	mutica, Gray.	G a
*confinis, Gray.	S h	Eriophyllum Wallacei, Gray.	Gm
Corethrogyne filaginifolia, Nutt.	_ G	confertiflorum, Gray.	, G
Aster Andersoni, Gray.	D m	*ambiguum, Gray.	Dd
exilis, L.	G m	Lasthenia glabrata, Lindl.	D d
spinosus, Benth.	D d	Baileya pauciradiata, H. & G.	D d L
*parviflorus, Gray. Erigeron incomptus, Gray, <i>new</i> .	Lh	multiradiata, H. & G. Burrielia *microglossa, DC.	Dā
foliosus, Nutt.	8	Amblyopappus pusillus, H. & A.	Ğ
var. tenuissimus, Gray.	Sh	Hulsea Californica, T. & G.	Gm
var. stenophyllus, Gray.	Lm	*vestita, Gray.	Ďm
Canadensis L.	G	Palafoxia *linearis, Lag.	D d

		7	
Chænactis *carphoclinia, Gray.	Dа	specularioides, Nutt.	8 h
artemisiæfolia, Gray.	GЬ	Specularia biflora, Gray.	Gh
tenuifolia, Nutt.	G	*perfoliata, A. DC.	D h
Parishii, Gray, new.	G m		DA
*Fremonti, Gray.	D₫	Ericaceæ.	
*suffrutescens, Gray.	Дd	Arctostaphylos glauca, Lindl.	G na
Helenium puberulum, DC.	G m	tomentosa, Dougl.	G m
*Bigelovii, Gray.	8 m	bicolor, Gray.	G h
Hymenopappus filifolius, Hook. Hymenothrix Wrightii, Gray.	Gm	pungens, HBK. Manzanita.	Gm
Syntrichopappus Fremonti, Gray.	L m D d	oppositifolia, Parry.	Lh
Dysodia *Cooperi, Gray.	Dd	arguta, Zucc., var. diversifol	
porophylloides, Gray.	Ğd	Parry. Rhododendron occidentale, Gray.	G h D m
Trichoptilium *incisum, Grav.	Ďď	Pyrola aphylla, Smith.	D m
Perityle microglossa, Benth.	Gh	Pterospera *andromedea, Nutt.	Nm
Californica, Bth., var. nuda. (3r. Ld	•	24 111
Porophyllum gracile, Benth.	G	Plumbaginaceæ.	
Achillea Millefolium, L.	G	Statice Limonium, L. Marsh rosen	ı'ry. G s
Anthemis Cotula, L. May weed.	G	Lennoaceæ.	
Artemisia tridentata, Nutt.	, G	Pholisma arenarium, Nutt.	~
Californica, Less. Southerny			G
Ludoviciana, Nutt.	G h	Primulaceæ.	
dracunculoides, Pursh. Cotula coronopifolia, L.	Gh	Dodecatheon Meadia, L.	G
Soliva sessilis, R. & P.	S c	Anagallis arvensis, L. Barometer	. Ğ
Tetradymia comosa, Gray.	Gm	Samolus Valerandi, L., var. Amer'	a,Gr. G
Peucephyllum *Schottii, Gray.	Dd	Centunculus minimus, L.	8 c
Psathyrotes ramosissima, Gray.	Ďď	Styracaceæ.	
Senecio sylvaticus, L.	Gc		37.1
Douglasii, DC.	Gh	Styrax Californica, Torr.	Nh
Californicus, DC.	Gh	· Oleaceæ.	
Cnicus occidentalis, Gray. Thistl	e. Gc	Menodora scabra, Gray.	Gd
Californicus, Gray.	_ G	scoparia, Engelm.	Gm
Drummondii, v. acaulescens,		Fraxinus dipetala, H. & A. Flow'g a	ish. Lh
Silybum Marianum, Gærtn. Centaurea solstitialis, L.	G	Apocynaceæ. Indian Her	
Perezia microcephala, Gray.	G		•
Trixis angustifolia, DC. var. latius	G h	Apocynum cannabinum, L.	G
Gray.	Dd	Asclepiadaceæ. Milkweed	ds.
Microseris elegans, Greene.	Sc	Asclepias subulata, Decsne. Jume	te. L h
platycarpha, Grav.	бй	eriocarpa, Benth.	G m
Lindleyi, Gray.	$\overline{\mathbf{G}}$ $\overline{\mathbf{h}}$	erosa, Torr.	L m
linearifolia, Gray.	G	Mexicana, Cav.	Gh 5
Stephanomeria virgata, Benth.	G	Gomphocarpus *tomentosus, Gray.	. 8 h
Ratinesquia Californica, Nutt.	Gс	Philibertia Torreyi, Gray.	G h 5
*Neo-Mexicana, Gray.	D d	Gentianaceæ.	
Anisocoma acaule, T. & G. Calycoseris *Parryi, Gray.	<u>G</u> m,	Erythræa venusta, Gray.	G h 2
Malacothrix Coulteri, Gray.	D d	*Douglasii, Gray.	Dh
Californica, DC.	Gh	floribunda, Benth.	Gm
glabrata, Gray.	Gh Lm	Frasera Parryi, Torr.	N m 3
Clevelandi, Gray.	Fm	Eustoma exaltatum, Griseb.	Ld
Atrichoseris *platyphylla, Grav.	Dd	Polemoniaceæ.	
Troximon retrorsum, Gray.	Gm		
heterophyllum, Greene.	Lm	Phlox longifolia, Nutt., var. Stan	
*grandiflorum, Gray.	D m	Gray.	Ļ m.
Lygodesmia exigua, Gray.	Gm	nana, Nutt. Gilia Sessei, Don.	L m
Sonchus oleraceus, L.	\mathbf{G}	divaricata, Nutt.	G m
asper, Vill.	\mathbf{G}	Lemmoni, Gray.	Gh Gm
tenerrimus, L.	S c	liniflora, Benth.	Gm
Lobeliaceæ.		var. pharnaceoides, Gray.	Gh
Nemacladus longiflorus, Gray.	a	dianthoides, Endl.	c c
ramosissimus, Nutt.	G m	Orcuttii, Parry.	Lň
Lobelia splendens, Willd.	Gh Gm	bella, Gray, new.	Lm
Palmerella debilis, Gray.	Ld	micrantha, Steud.	G
Downingia pulchella, Torr.	Sc	floribunda, Gray.	G m
<u> </u>	~ 0	atractyloides, Steud.	Ğ
Campanulaceæ.		*Bigelovii, Gray.	Дď
Githopsis *diffusa, Gray.	Nh	*ciliata, Benth. *Californica, Benth.	D d
, v	_	Camoinica, Denin.	D m

		8
densifolia, Benth.	D m	Californica, Choisy. 8 h
var. elongata, Gray.	Gm	occidentalis, Gray. 8 h
floccosa, Gray.	G	pentapetaloides, L. Fh
achilleæfolia, Benth.	G	longipes, Watson, var. L h
multicaulis, Benth.	Gh	Cressa Cretica, L. Gs
*setosissima, Gray.	D d	Cuscuta Californica, Choisy. Dodders: G
tenuiflora, Benth.	Gh Fh	salina, Engelm, Ss subinclusa, D. & H. Sm
inconspicua, Dougl. *latifolia, Watson.	Dd	subinclusa, D. & H. S m Dichondra repens, Forst. F c
prostrata, Gray.	Lm	• ,
Lœselia effusa, Gray.	Fm	Solanaceæ.
tenuifolia, Gray.	Fm	Solanum nigrum, L. w G
guttata, Gray, new.	L	Xanti, Gray. b G
		Physalis crassifolia, Benth. L h
Hydrophyllaceæ.	~	pubescens, L. F h
Nemophila aurita, Lindl. b	S c	Lycium Californicum, Nutt. G s
racemosa, Nutt. w	G	Andersonii, var. Wrightii, Gray. Gh
Menziesii, H. & A. Blue eyes.	N h	Datura meteloides, DC. G
insignis, Dougl.	G	Petunia parviflora, Juss. G Nicotiana Bigelovii, Wats. G
Ellisia membranacea, Benth. chrysanthemifolia, Benth.	Ğ	Nicotiana Bigelovii, Wats. G Clevelandi, Gray. S c
Phacelia Parryi, Torr.	Gc	glauca, Graham. Tobacco tree.
circinata, Jacq. f.	Ğй	attenuata, Torr. Wild tobacco.
tanacetifolia, Benth.	Ğ	
ramosissima, Dougl.	Ğ	Scrophulariaceæ.
hispida, Gray.	G	Linaria Canadensis, Dum. Toad-flax. G
*curvipes, Torr.	D d	Antirrhinum filipes, Gray. 8
*micrantha, Torr.	D d	Orcuttianum, Gray. b w F
Fremontii, Torr.	Gm	subsessile, Gray. F c
Orcuttiana, Gray.	F h	Nuttallianum, Benth. F c
Phacelia grandiflora, Gray.	Sc	Mohavea *viscida, Gray. Dd
Whitlavia, Gray.	Nh	Scrophularia Californica, Cham. Figwort. Collinsia bicolor, Benth. F h 2
*campanularia, Gray. plumosa, Kellogg, <i>new</i> .	N d L c	bartsiæfolia, Benth. G m
suffrutescens, Parry.	Nh	Pentstemon cordifolius, Benth. r G h
Emmenanthe penduliflora, Benth.	Ğ	ternatus, Torr. r F h
Tricardia *Watsoni, Torr.	Dď	antirrhinoides, Benth. y G h
Nama demissum, Gray.	Nd	*Rothrockii, Gray. D m
Parryi, Gray.	Nm	Palmeri, Gray. w L d
Eriodictyon tomentosum, Benth.	S h	spectabilis, Thurb. Gh
glutinosum, Bth. Yerba santa.		Clevelandi, Gray. r F m
angustifolium, Nutt.	F?	*Parryi, Gray. D d
Borraginaceæ.		heterophyllus, Lindl. N m
Coldenia *Palmeri, Gray.	Dа	pumilus, Nutt., var. incanus, Gr. L m *ambiguus, Torr. D d
*canescens, DC.	Dd	Pedicularis *densiflora, Benth. Dh
Heliotropium Curassavicum, L.	Ğ	*semibarbata, Gray. N m
Amsinckia spectabilis, F. & M.	Fc	Mimulus nanus, H. & A. D m
*intermedia, F. & M.	Nm	Fremonti, Gray. r F h
tessellata, Gray.	L m	brevipes, Benth. y G
Echidiocarya Californica, Gray.	L m	glutinosus, Wendl. r G h
Eritrichium micranthum, Torr.	G d	var. puniceus, Gray. S c
racemosum, Watson.	Γd	cardinalis, Dougl. r G
barbigerum, Gray.	_G	luteus, L. y G
intermedium, Gray.	Sc	Palmeri, Gray. r F m
circumscissum, Gray.	Dр	pilosus, Watson. y G
muriculatum, A. DC. angustifolium, Torr.	Sc	exiguus, Gray, new. L m 4
setosum, Greene, new.	G S c	moschatus, Dougl. y Musk. S m floribundus, Dougl. G
Californicum, DC., var. subgloc	h.	inconspicuus, Gray.
idiatum, Gray.	Ge	Stemodia durantifolia, Swartz. Gh
*pterocaryum, Torr.	Ďď	Limosella aquatica, L. G m
Echinospermum Greenei, Gray.	Sc	Veronica *alpina, L. D m
Pectocarya setosa, Gray.	à ď	peregrina, L. G
linearis, DC.	G	Castilleia affinis, H. & A. G
*penicillata, A. DC.	D d	*linearifolia, Benth. D d
Harpagonella Palmeri, Gray.	СС	foliolosa, H. & A. Painted feather. G
Convolvulaceæ.		*miniata, Dougl. N m
Convolvulus Soldanella, L.	G a	Orthocarpus Parishii, Gray. Sc
Convolvation Dolumenta, L.	G s	purpurascens, Benth. G

attenuatus, Gray.	Lm	aviculare, L.	_ 8
*hispidus, Benth.	Dh	*Bistorta, L.	рm
Cordylanthus filifolius, Nutt.	G	Hartwrightii, Gray.	Lm
Nevinii, Gray. Orcuttianus, Gray.	G m L h	*amphibium, L. *tenue, Michx.	D m D m
maritimus, Nutt.	S s	Nemacaulis Nuttallii, Benth.	Fc
,	20	Eriogonum Thurberi, Torr.	F 2
Orobanchaceæ.		angulosum, Benth.	F
Aphyllon fasciculatum, Gray.		foliosum, Watson.	L m 8
Californicum, Gray.		fasciculatum, Benth.	G 5
Ludovicianum, Gray.		Wrightii, Torr.	G 5
comosum, Gray.		Baileyi, Watson.	L m S m
Bignoniaceæ.		gracile, Benth. Orcuttianum, Watson.	Ld3
Chilopsis saligna, Don.	S đ	trichopodum, Torr.	Ld
Acanthaceæ.		Parishii, Watson.	G m 4
Beloperone Californica, Benth.	Gс	*Palmeri, Watson.	S m
=		vimineum, Dougl.	G
Labiatee. Mint Famil		*apiculatum, Watson.	D _m
Hyptis Emoryi, Torr.	G d	elongatum, Benth.	8 h
Mentha Canadensis, L. Pycnanthemum Californicum, To	orr. G	*saxatile, Watson. parvifolium, Smith.	S m N c
Monardella macrantha, Gray.	D m	nudum, Dougl.	Dm
nana, Gray.	Gm	*Parryi, Gray.	Dd
*odoratissima, Benth.	S m	*Plumatella, D. & H.	D d
lanceolata, Gray.	Gm	*crenulatum, Parry.	D h
villosa, Benth., var.	Lщ	*Thomasii, Torr.	Дd
linoides, Gray.	G	*reniforme, Torr.	D d
Acanthomintha ilicifolia, Gray.	Fh Sc	Oxytheca trilobata, Gray.	Sh Dd
Pogogyne nudiuscula, Gray. Salvia carduacea, Benth. Thistle		perfoliata, T. & G. Chorizanthe polygonoides, T. & G.	Sc
Columbariæ, Benth.	G G	*corrugata, T. & G.	Dď
Audibertia incana, Benth. Sage.		*Watsoni, T. & G.	Ďã
stachyoides, Benth. w	Gh	Orcuttiana, Parryi, new.	S c 2
Clevelandi, Gray. b	S h	Californica, Gray.	Sc2
polystachya, Benth. White Marrubium vulgare, L. Hoarhou	sage. G	fimbriata, Nutt.	G _h 2
Stachus bullata Ponth	na. G	laciniata, Torr.	Fm
Stachys bullata, Benth. Trichostema lanatum, Benth.	Ğ	staticoides, Benth. procumbens, Nutt.	N h F h
lanceolatum, Benth.	ă	Parryi, Watson.	Gn
Parishii, Vasey. Romero.	Gh	*brevicornu, Torr.	Ďd
Scutellaria Bolanderi, Gray.	S m	Lastarriæa, Parry.	G
angustifolia, Pursh.	S _m	Pterostegia drymarioides, F. & M.	G
*tuberosa, Benth.	Sh	Amarantaceæ. (Weeds, &	(c.)
Brunella vulgaris, L.	S m	Amarantus albus, L.	
Verbenaceæ.		Californicus, Watson.	G
Verbena officinalis, L.	G c	*fimbriatus, Benth.	D m
prostrata, R. Br.	G	*Palmeri, Watson.	D d
ciliata, Benth.	<u>L</u> m	Nitrophila occidentalis, Watson. Cladothrix *lanuginosa, Nutt.	G s D d
littoralis, HBK.	L m		
Plantaginaceæ. Plantas	in.	Chenopodiaceæ. (Weeds, &	.c.)
Plantago major, L.	G	Aphanisma blitoides, Nutt.	Ge
Patagonica, Jacq.	Gc	Chenopodium album, L.	G
hirtella, HBK.	S h	ambrosicides, L.	D
Nyctaginaceæ.		Californicum, Watson.	G G
Mirabilis Californica, Gray.	C 5	murale, L. Fremontii, Watson.	Lď
multiflora, Gray.	G 5 G m	Monolepis chenopodioides, Moq.	Ğ
Abronia umbellata, Lam.	Gs	spathulata, Gray.	Lm
maritima, Nutt.	Ss	Atriplex microcarpa, Dietr.	G
villosa, Watson.	d	bracteosa, Watson.	S
*turbinata, Torr.	D₫	Coulteri, Dietr.	G?
Boerhaavia viscosa, Gray.	L	expansa, Watson.	G?
Polygonaceæ.		hymenelytra, Watson. canescens, James.	G G
Rumex salicifolius, Wein.	\mathbf{G}	Eurotia lanata, Moq.	Dd
hymenosepalus, Torr. Cana		Grayia polygaloides, H. & A.	Ďã
Polygonum nodosum, Pers.	S	Salicornia ambigua, Mx.	Gs

		10	
Suæda Torreyana, Watson.	G s	Douglasii, Engelm. Pine mistle Phoradendron flavescens, Nutt., var.	toe.
Batideæ.		rophyllum, Engelm.	шас
Batis maritima, L.	Gs	var. villosum, Engelm.	
Lauracese. Laurel.		Bolleanum, Eichl.	
		Californicum, Nutt.	
Umbellularia Californica, Nutt.	Nm	juniperinum, Engelm.	
Urticacese. Nettles.		var. Libocedri, Engelm.	
Urtica holosericea, Nutt. False nett	la Clh		
urens, L.	G. G.	Gnetaceæ.	_
Hesperocnide tenella, Torr.	Fh	Ephedra Californica, Watson.	G
Parietaria debilis, Forst.	Г'n	*oxycarpa, Engelm.	D d
		Coniferse. Pine Family.	
Platanaceæ. Sycamore.		Juniperus Californicus, Carr. Juniper	G m
Platanus racemosus, Nutt.	G	Cupressus Guadalupensis, Watson.	. О Ш
Euphorbiaceæ.		Cypress.	Gh
Simmondsia Californica, Nutt.		Libocedrus decurrens, Torr. Cedar.	Gm
Euphorbia polycarpa, Benth.	G G	Abies concolor, Lindl. Balsam.	D _m
hirtula, Engelm.	Gh	Pinus Lambertiana, Dougl. Sugar pir	ie. D
misera, Benth.	Ğс	monophylla, T. & F. Pinone.	Gd
dictyosperma, F. & M.	Fm	Parryana, Engelm. Pinone.	Fт
Palmeri, Engelm.	Fm	Torreyana, Parry. Soledad pine.	
*eriantha, Benth.	Dα	ponderosa, Dougl.	D m
Eremocarpus setigerus, Benth.	Ğ	Jeffreyi, Murr. Yellow pine.	G m
Acalypha Californica, Benth.	Gh	Coulteri, Don.	G m
Croton tenuis, Watson.	D m	Pseudotsuga Douglasii, Carr., var.	
_ Californicus, Mull.	G	rocarpa, Engelm.	N m
Bernardia *myricæfolia, Watson.	D d	Orchidaceæ. Orchid Family.	
Stillingia linearifolia, Watson.	G	Epipactis gigantea, Dougl.	G h
*annua, Mull.	Dа	Habenaria Cooperi, Watson.	Sc
Argythamnia *serrata, Mull.	Дd	*leucostachys, Watson.	Dm
sericophylla, Gray.	G d		
Callitrichaceæ.		Iridaceæ. Iris Family.	
Callitriche *verna, L.	Nm	Sisyrinchium bellum, Watson. Blue	
marginata, Torr.	Sc	grass.	Gс
•		Amaryllidaceæ. Century plan	ts.
Piperaceæ. Yerba manse	е.	Agave deserti, Engelm. Mescal.	Gd
Houttuynia Californica, B. & H.	G	Pringlei, Engelm. ined.	Lm
Ceratophyllaceæ.		Shawii, Engelm.	Gc
Ceratophyllum demersum, L.	Gm		
		Liliaceæ. Lily Family.	
Betulaceæ. Birch Family	y .		h 2
Alnus oblongifolia, Nutt. Alder.	s	*attenuifolium, Kellogg.	Dh
a		serratum, Watson.	Sh
		*lacunosum, Watson. Onions.	Dь
Salix lasiolepis, Benth.	Ģ	*parvum, Kellogg. hæmatochiton, Watson.	Dm G2
longifolia, Muhl.	G d	fimbriatum, Watson. L	m 3
lævigata, Bebb.	Sh	Muilla maritima, Watson.	Gc
Populus trichocarpa, T. & G. Fremonti, var. Wislizeni, Wats.	Nm		1 h 2
tonwood.	Cot-	Clevelandi, Watson, new.	$\frac{1}{3}$ $\frac{1}{6}$ $\frac{1}{2}$
		Brodiæa minor, Watson.	Gh
Juglandaceæ. Walnut.		capitata, Benth.	G 2
Juglans Californica, Watson.	Nm	Orcuttii, Greene, new.	3 c 2
		Chlorogalum parviflorum, Watson.	G h
	_	Smilacina sessilifolia, Nutt.	S m
Quercus pungens, Engelm.	L m		Ľm
dumosa, Nutt. Shrub oak.	G	*Parryi, Watson.	Ďά
oblongifolia, Torr. White oak.		Bigelovii, Watson.	Ld
crysolepis, Liebm. Palmeri, Engelm.	Fm	Yucca baccata, Torr. Ciote. Whipplei, Torr. Lilium Parryi, Watson. Parry's lily.	Ų. ti
agrifolia, Nee. Cal. live oak.	Fm	VI HIPPIEI, 10ff. Lilium Parryi Watson Danny's 121	O T
Kelloggii, Newberry.	D m	Humboldtii, R. & L. Tiger lily.	חוו ע
Emoryi, Torr.	Lm		D m
Castanopsis chrysophylla, A. DC.	Nm	Calochortus *albus Dongl	Dы
T	-1 141	Calochortus *albus, Dougl. Weedii, Wood. Butterfly tulip.	Fh
Loranthaceæ. Mistletoe.			Ēш
Arceuthobium occidentale, Engelm.		venustus, Benth.	Gh

Palmeri, Watson.	Lm	speciosa, T. & R.	
Veratrum Californicum, Dur.	D m	eminens, Cav.	
Zygadenus *venenosus, Watson.	Dщ	Parishii, Vasey.	
Fremonti, Torr.	D	coronata, Thurb.	
Typhaceæ.		Muhlenbergia debilis, Trin.	
Typha latifolia, L. Cat-tail.	G '	*pungens, Thurb.	r
Lemnaceæ.		Sporobolus asperifolius, Thurb. airoides, Torr.	
<u> </u>		ramulosus, Kunth.	
Lemna trisulca, L. Valdiviana, Phil.		Epicampes rigens, Benth.	
minor, L.		Avena fatua, L. (et var.) Oat.	G
		Deschampsia gracilis. Vasev. nem	Sc
Naiadaceæ.		Paspalum distichum, L.	G h
Triglochin maritimum, L.	_S s	Panicum *Urvilleanum, Kunth. capillare, L.	\mathbf{D} d
Potamogeton natans, L. pusillus, L.	L m	dichotomum, L.	r
lucens, L.		Alopecurus geniculatus, L.	D D
Naias major, Allione.	Lm	Agrostis Scouleri, Trin.?	D
Lilæa subulata, HBK.	Sh	exarata, Trin. (et var.)	
Zannichellia *palustris, L.	~	verticillata, Vill.	
Ruppia *maritima, L.		virescens, HBK.	
Alismaceæ.		microphylla, Steud. (et var.)	
Echinodorus rostratus, Engelm.	S c	scabra, Willd., var.? grandis, Trin.?	
_	& C	asperifolia, Trin.?	
Juncaceæ.		Cinna *macroura, Kunth.	D d
Juncus robustus, Watson.	\mathbf{G}	Eriocoma cuspidata, Nutt.	2 (1
Balticus, Deth. bufonius, L.	G	Spartina stricta, Roth.	S s
*longistylis, Torr.	G	Cynodon Dactylon, Pers.	_
dubius, Engelm.	D h G	Boutelous racemoss, Lag.	L m
Juncus xiphioides, Mey.	Gh	Trisetum barbatum, Steud. Lamarkia <i>aurea</i> , Mœnch.	G
oxymeris, Engelm.	$\tilde{\mathbf{G}}$	Phragmites communis, Trin.	G
Palmæ. Palms.		Tricuspis *pulchella, Torr.	Dã
	£	Dactylis glomerata. L.	G
Washingtonia filifera, Wendl. Cali fan palm.	iornia C	Kœleria cristata, Pers.	Fc
Erythea edulis, Watson. Guadalu	ne Isl-	Melica imperfecta, Trin.	G
and palm.	Pc 201	poæoides, Torr. Distichlis maritima, Raf.	
armata, Watson. Blue palm.	L d	Poa tenuifolia, Nutt., (varieties.)	G
Cyperaceæ. Sedges.		Festuca Myurus, L.	G
Cyperus lævigatus, L.	0	tenella, Willd.	Ď
aristatus, Rottb.	G	microstachys, Nutt.	Ď
Michauxianns, Schult.		var. divergens.	
occidentalis, Torr.		var. ciliata.	
Scirpus setaceus, L.	\mathbf{G}	Bromus maximus, Desf. erectus, Huds.	
lacustris, L.		carinatus, H. & A.	
Olneyi, Gray.		unioloides, Willd.	D
sylvaticus, L., var. digynus, Bo *pungens, Vahl.		Lolium temulentum, L.	Ğ
Hemicarpha subsquarrosa, Nees	D) h	Agropyrum repens, L.	
Eleocharis acicularis, R. Br.		tenerum, Vasey.	
palustris, R. Br.		glaucum, R. & S. Hordeum jubatum, L.	
capitata, R. Br.	G	*murinum, L.	G D
arenicola, Torr.	~	nodosum, L.	D
Carex triquetra, Boott. siccata, Dewey, var. minor.	Gc	Elymus condensatus, Presl.	D
Graminam	L m	var. triticoides Thurb	Ď
Gramineæ. Grasses. Polypogen Monspeliensis, Desf.	13	Orcuttianus, Vasey, new.	S
Hilaria rigida, Thurb.	F G d	Sitanion, Schult.	D
Andropogon saccharoides, Swartz.	σu	Eragrostis poæoides, Beauv., var.	nega-
dissitifiorus. Michx		stachya, Gray. oxylepis, Torr.	
Phalaris Canariensis, L.		Imperata brevifolia, Vasey.	Ld
intermedia, Bosc.		Equisetaceæ.	ıı u
var. angusta, Chapm.		TD	n 4 = 23
Aristida bromoides, HBK. purpurea, Nutt., var.		rush.	e-tail
Orcuttiana, Vasey, new.	T m	Ophioglossaceæ.	G
Stipa setigera, Presl.	L m	Onbioglossum nudicante T e	~
- 0 ,		Ophioglossum nudicaule, L. f.	Gс

19	2
Filices. Ferns.	Parmelia conspersa, Ehrh.
	Heppia Despreauxii, Mont.
Polypodium Californicum, Kaulf. G c	Placodium bolacinum, Tuck.
Gymnogramme triangularis, Kaulf. Gold	cinnabarrinum, Ach.
fern. Gh	aurantiacum, Lightf.
var. viscosa, Eaton. Silver fern. G	cerinum, Hedw.
Notholæna Californica, Eaton. G	ferrugineum, Huds.
Newberryi, Eaton. Cotton fern. Gh	luteo-minimum, Tuck.
Parryi, Eaton. Parry's fern. G d	Lecanora muralis, Sch.
Cheilanthes Californica, Mett. Lace f. Gh	cenisia, Ach.
*viscida, Davenport. N d	subfusca, L.
Cooperæ, Eaton. San Bernardino.	atra, Huds.
*Parishii, Davenport. D d	Pacifica, Tuck.
*fibrillosa, Davenport ined. N m	cinerea, L.
myriophylla, Desv. Fendler's f. G m	Rinodina radiata, Tuck.
Clevelandi, Eaton. Cleveland's f. Gh	bolodes, Tuck.
Pellæa andromedæfolia, Fee. Wire f. G Ornithopus, Hook. Tea fern. G	Pertusaria flavicunda, Tuck.
Ornithopus, Hook. Tea fern. G *Wrightiana, Hook. N? m	Urceolaria scruposa, Smf.
Pteris aquilina, L. Brake. G m	Stereocaulon albicans, Nyl.
Adiantum emarginatum, Hook. G c h	Cladonia fimbriata, Fr.
Capillus-Veneris, L. Venus-hair.	pyxidata, Fr.
*pedatum, L. N m	Lecidea cruciaria, Tuck.
Woodwardia radicans, Smith. G m	Buellia sidalea, Tuck.
Asplenium *Filix-fæmina, Bernh. N m	myriocarpa, DC.
Trichomanes, L., var. incisum, Moore.	Stylographa parallela, Nyl.
Feather fern. F h	Chiodecton ephærotum, Tuck.
Aspidium argutum, Eaton. D m	Arthonia epigina, Tuck.
munitum, Kaulf. G h	Acolium Bolanderi, Tuck.
Cystopteris fragilis, Bern. Bladder f. Dm	Endocarpon pusillus, Hedw.
Woodsia sp. indet. L m	_ ` <u>_</u> ` .
•	Fungi.
Selaginelleæ.	No complete collection ever made.
Selaginella rupestris, Spring. G	Algæ. Sea-mosses.
*lepidophylla, Spring. L h	•
Isoetes sp. indet. S c	SPECIES COLLECTED AT SAN DIEGO
indeted sp. indet.	
	BY DANIEL CLEVELAND.
Marsiliaceæ.	Ahnfeltia gigartinoides, Ag.
Marsiliaceæ. Marsilia vestita, H. & G. D c m	Ahnfeltia gigartinoides, Ag. plicata, Fr.
Marsiliaceæ.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea.
Marsilia cese. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——?
Marsiliaceæ. Marsilia vestita, H. & G. Pilularia Americana, Al. Br. Salviniaceæ. Azolla Caroliniana, Willd.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G Hepaticeæ.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G Hepaticeæ.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv. canaliculatus, Ag.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Canaliculatus, Ag. Chrysemenia obovata. Cladophora Ecklonii.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach. reticulata, Noehd. Lace lichen. Menziesii, Tuck.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv. canaliculatus, Ag. Chrysemenia obovata. Cladophora Ecklonii. membranacea, Ag.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach. reticulata, Noehd. Lace lichen. Menziesii, Tuck. crinita, Tuck. Evernia vulpina, L. Golden lichen. prunastri, L.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv. canaliculatus, Ag. Chrysemenia obovata. Cladophora Ecklonii. membranacea, Ag. Corallina officinalis, L. squamata, Ellis & Sol.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach. reticulata, Noehd. Lace lichen. Menziesii, Tuck. crinita, Tuck. Evernia vulpina, L. Golden lichen.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv. canaliculatus, Ag. Chrysemenia obovata. Cladophora Ecklonii. membranacea, Ag. Corallina officinalis, L. squamata, Ellis & Sol.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach. reticulata, Noehd. Lace lichen. Menziesii, Tuck. crinita, Tuck. Evernia vulpina, L. Golden lichen. prunastri, L. Usnea barbata, L., varieties. jubata, Fr.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv. canaliculatus, Ag. Chrysemenia obovata. Cladophora Ecklonii. membranacea, Ag. Corallina officinalis, L. squamata, Ellis & Sol. Codium tomentosum, Stack. Cordylecladia conferta, Mont.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach. reticulata, Noehd. Lace lichen. Menziesii, Tuck. crinita, Tuck. Evernia vulpina, L. Golden lichen. prunastri, L. Usnea barbata, L., varieties. jubata, Fr. ochroleuca, Fr.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv. canaliculatus, Ag. Chrysemenia obovata. Cladophora Ecklonii. membranacea, Ag. Corallina officinalis, L. squamata, Ellis & Sol. Codium tomentosum, Stack. Cordylecladia conferta, Mont.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach. reticulata, Noehd. Lace lichen. Menziesii, Tuck. crinita, Tuck. Evernia vulpina, L. Golden lichen. prunastri, L. Usnea barbata, L., varieties. jubata, Fr. ochroleuca, Fr. Theloschistes chrysophthalmus, L.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv. canaliculatus, Ag. Chrysemenia obovata. Cladophora Ecklonii. membranacea, Ag. Corallina officinalis, L. squamata, Ellis & Sol. Codium tomentosum, Stack.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach. reticulata, Noehd. Lace lichen. Menziesii, Tuck. crinita, Tuck. Evernia vulpina, L. Golden lichen. prunastri, L. Usnea barbata, L., varieties. jubata, Fr. ochroleuca, Fr. Theloschistes chrysophthalmus, L. parietinus, L.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv. canaliculatus, Ag. Chrysemenia obovata. Cladophora Ecklonii. membranacea, Ag. Corallina officinalis, L. squamata, Ellis & Sol. Codium tomentosum, Stack. Cordylecladia conferta, Mont. Cruoria purpurea, Crn. Cryptonemia crenulata, Ag. dichotoma, J. Ag.
Marsiliaceæ. Marsilia vestita, H. & G. Dc m Pilularia Americana, Al. Br. Dc Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach. reticulata, Noehd. Lace lichen. Menziesii, Tuck. crinita, Tuck. Evernia vulpina, L. Golden lichen. prunastri, L. Usnea barbata, L., varieties. jubata, Fr. ochroleuca, Fr. Theloschistes chrysophthalmus, L. parietinus, L. Physcia erinacea, Ach.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv. canaliculatus, Ag. Chrysemenia obovata. Cladophora Ecklonii. membranacea, Ag. Corallina officinalis, L. squamata, Ellis & Sol. Codium tomentosum, Stack. Cordylecladia conferta, Mont. Cruoria purpurea, Crn. Cryptonemia crenulata, Ag. dichotoma, J. Ag. obovata, Ag.
Marsiliaceæ. Marsilia vestita, H. & G. D c m Pilularia Americana, Al. Br. D c Salviniaceæ. Azolla Caroliniana, Willd. Musci. Mosses. These have been sparingly collected. Sphagnaceæ. Several species. Characeæ. Characeæ. Chara fætida, Al. Br. G Hepaticeæ. Several species. Lichenes. Lichens. Roccella tinctoria, DC. leucophæa, Tuck. Ramalina ceruchis, Ach. reticulata, Noehd. Lace lichen. Menziesii, Tuck. crinita, Tuck. Evernia vulpina, L. Golden lichen. prunastri, L. Usnea barbata, L., varieties. jubata, Fr. ochroleuca, Fr. Theloschistes chrysophthalmus, L. parietinus, L.	Ahnfeltia gigartinoides, Ag. plicata, Fr. Amphiroa cretacea. orbigniana, Harv. Arthrocladia ——? Asperococcus sinuosus, Bory. Bryopsis plumosa, Lmx. Callithamnion Americanum, Harv. dasyoides, Ag. heteromorphum, J. Ag. LeJolisea, Farlow. scopulorum. Callophyllis centrocarpa. gracillarioides, Farlow. laciniata, Kutz. obtusifolia, Ag. variegata, Kutz. Chætomorpha ærea, Dillw. clavata. Chondria atropurpurea, Harv. Chondrus affinis, Harv. canaliculatus, Ag. Chrysemenia obovata. Cladophora Ecklonii. membranacea, Ag. Corallina officinalis, L. squamata, Ellis & Sol. Codium tomentosum, Stack. Cordylecladia conferta, Mont. Cruoria purpurea, Crn. Cryptonemia crenulata, Ag. dichotoma, J. Ag.

Dasya Helenæ, Farlow. subsecunda, Suhr. Delessiria quercifolia, Bory. Desmarestia ligulata, Lmx. " var herbi var. herbacea. Dictyota Kunthii, Ag Ectocarpus crinitus, Harv. fasciculatus, Ag. granulosus, Ag. siliculosus, Lyng. virescens, Thurst. Eisenia arborea, Aresch. Egregia Menziesii, Aresch. Endocladia muricata, J. Ag Entromorpha compressa, Grev. intestinalis, Lmx Farlowia compressa, J. Ag. Fucus fastigiatus, Ag. vesiculosus, L. Gelidium carneum, Lmx. cartilagineum, Grev. Coulteri, Harv. crinale, Ag. Gigartina canaliculata, Harv. mammillosa, Ag. microphylla, Härv var. horrida, Farlow. radula, Ag. spinosa, Harv. pistillata, Ag. Gracillaria confervoides, Grev. multipartita, Ag. Gymnogongrus leptophyllus, Ag. linearis, Ag. Grateloupia Cutleriæ, Kutz. Halidrys osmundacea, Harv. Hypnea divaricata, Grev. musciformis, Lmx. Iridæa minor, Bory. Jania rubens, Lmx. Leathesia tuberiformis, S. F. Gray. Lithothamnion polymorphum, Aresch. Lithothrix aspergillum, J. E. Gray. Lomentaria ovalis, Ag., v. Coulteri, Harv. Laurencia cervicornis, Harv. pinnatifida, Lmx. virgata, J. Ag Macrocystis pyrifera, Ag. Melobesia amplexifrons, Harv. Le Normandi, Aresch. membranacea, Lmx. Microcladia Coulteri, Harv. Californica, Farlow. Nereocystis Lutkeana, Post & Rupr. Nitophyllum Andersonii, Ag. Ruprechtianum, Ag. violaceum, Ag. Palmella crassa, Kg.

Petrospongium Berkeleyi, Nally. Peyssonnellia atropurpurea, Crn. Dubyi, Crn. squamaria, Dec. Phyllophora Clevelandii, Farlow. Pikea Californica, Harv. Clevelandii, Farlow. Plocamium violaceum, Farlow. coccineum, Lyng. var. Californicum. var. flexuosum. var. sinuosum. Porphyra vulgaris, Ag. Prionitis Andersonii, Eaton. Clevelandii, Farlow. lanceolata, Harv. Pterygophora Californica, Rupr. Ptilota densa, Ag. hypnoides, Harv. Polysiphonia Baileyi, Ag. bipinnata, Post & Rupr. Californica, Harv. Clevelandii, Farlow. dictyurus, J. Ag. pennata, Ag. parasitica, Grev. var. dendroidea, Ag. senticulosa, Harv. urceolata, Grev. verticillata, Harv. villum, Ag. Ralfsia verrucosa, Aresch. Rhodymenia corallina, Grev. flabellifolia, (Bory) Ag. palmata, Grev. Rhabdonia Coulteri, Harv. Rhadomela Larix, Ag. subfusca, Ag. Riccardia Montagnei, Derb. & Sol., var. gigantea, Farlow. Sargassum Agardhianum, Farlow. heterocystum, Ag. Schizymenia coccinea, Harv. Scinaria furcellata, Bivona, var. undulata, Farlow. Scytosiphon lomentarius, Ag. Spermothamnium roseum, Aresch. Sphacelaria cirrhosa, Ag. fusca, Ag. Spyridia filamentosa, Harv. Stennogramme interrupta, Mont. Tænioma Clevelandii, Farlow. Ulva lactuca, L. latissima, Ag. linza, Auct. Zonaria flava, Ag. Tournefortii, Lmx.

NOTICE TO SCIENTISTS.

Charles R. Orcutt, of San Diego, California, a student of the sciences in general, especially of Botany and Zoology, in forming collections illustrative of the fauna and flora of Southern and Lower California for study, secures such a quantity of duplicates as may be desired by patrons and correspondents, as occasion permits. The constant accumulation of material enables him to offer for cash (or in exchange for books or other objects desired), Minerals, Fossils, fine Herbarium and other Botanical Specimens, Shells, (from all parts of the world), other (especially marine) Invertebrates, Vertebrates, and many other objects of scientific interest. Thus dealing to a greater or less extent in

OBJECTS OF NATURAL HISTORY,

especially

HERBARIUM SPECIMENS,

SHELLS AND CURIOSITIES,
(Special attention paid to desiderata of California shells),

He also collects to order

SEEDS of PALMS, PINES, CYPRESS and other NATIVE TREES, SHRUBS & ANNUALS, Prices on application.

(Sample packets of any in stock, 25c., \$2.50 per dozen vars.)

-AND-

Living Ferns, and Bulbs of our Beautiful Liliaceæ.

(Prices to the trade on application. Small collections, \$2.50 per doz. vars.)

REFERS BY PERMISSION TO:

JACOB GRUENDIKE,
Pres. 1st Nat'l Bank of San Diego and Pres. S. D. Water Co.
JOSEPH WINCHESTER,
British Vice Consul and Vice Pres. Soc. Nat. Hist.

J. W. THOMPSON,

Agent Wells, Fargo & Co.

Correspondence Solicited.